

# The Global Nuclear Fuel Market

## Supply and demand 2011-2030

### Contents

<b>Executive summary</b>	<b>1</b>
<b>1 Introduction</b>	<b>5</b>
1.1 Background to the report	
1.2 Features of the nuclear fuel market	
1.3 Methodology and structure	
1.4 Energy and electricity demand	
1.5 The present position of nuclear power	
<b>2 Nuclear generating capacity</b>	<b>21</b>
2.1 Factors affecting nuclear capacity	
2.2 Forecast methodology and assumptions	
2.3 Nuclear generating capacity scenarios	
<b>3 Nuclear fuel demand</b>	<b>61</b>
3.1 Introduction to the demand forecast	
3.2 Factors affecting requirements	
<b>4 Secondary supplies</b>	<b>74</b>
4.1 Introduction	
4.2 Definitions within secondary supplies	
<b>5 Uranium supply and demand</b>	<b>80</b>
5.1 Uranium requirements	
5.2 Comparison of model with past nuclear fuel consumption	
5.3 Introduction to supply	
5.4 Primary uranium production	
5.5 Anticipated uranium supply	
5.6 Secondary supplies of uranium	
5.7 The balance of supply and demand	

## 6 Conversion supply and demand 145

- 6.1 Conversion requirements
- 6.2 Primary conversion supply
- 6.3 Secondary conversion supply
- 6.4 Conversion supply and demand

## 7 Enrichment supply and demand 159

- 7.1 Enrichment requirements
- 7.2 Primary enrichment supply
- 7.3 Trade issues
- 7.4 Secondary supply
- 7.5 Enrichment supply and demand

## 8 Fuel fabrication supply and demand 184

- 8.1 Fuel fabrication demand
- 8.2 Primary fuel fabrication supply
- 8.3 Secondary supply
- 8.4 Balance between fuel fabrication supply and demand

## 9 Summary and conclusions 196

### References

### Acronyms

### Glossary

### Appendices

# List of tables

- 1.1 IEA and WNA nuclear capacity scenarios for 2030
- 1.2 Electricity generation by fuel type and region
- 2.1 Nuclear reactors and generating capacity in operation and under construction
- 2.2 World nuclear generating capacity by company
- 2.3 Reactor numbers by country to 2030, reference scenario
- 2.4 Reactor numbers by country to 2030, upper scenario
- 2.5 Reactor numbers by country to 2030, lower scenario
- 2.6 Nuclear generating capacity to 2030
- 2.7 Comparison of 2011 versus 2009 scenarios
- 3.1 Natural uranium and enrichment required to produce 1 tonne of 4% enriched uranium
- 3.2 Impact on uranium and SWU demand from parameter changes
- 4.1 Impact of various types of secondary supplies on net market supply
- 4.2 Potential sensitivity of various types of secondary supplies to natural uranium price
- 5.1 Uranium reactor requirements to 2030
- 5.2 Changes in identified resources, 2007-2009
- 5.3 Uranium resources in major countries
- 5.4 Cumulative uranium production
- 5.5 World uranium production
- 5.6 World uranium production by company
- 5.7 Uranium production by mining method
- 5.8 The ten largest world uranium mines
- 5.9 Current, under development, planned and prospective uranium production capacity
- 5.10 Production capacity utilization assumptions by scenario
- 5.11 Prospective world uranium production, reference scenario
- 5.12 Prospective world uranium production, upper scenario
- 5.13 Prospective world uranium production, lower scenario
- 5.14 Utility inventories at end 2010
- 5.15 Utility inventories 2006-10

- 5.16 Utility inventory policies in terms of desired level of forward requirements
- 5.17 US DOE excess uranium inventories
- 5.18 US DOE excess uranium inventory management plan
- 5.19 Delivery schedule for Russian HEU
- 5.20 Savings of natural uranium through the use of RepU and Pu in the Western world
- 5.21 Worldwide savings of natural uranium through the use of RepU and Pu
- 5.22 Estimated depleted uranium stockpiles
- 5.23 Secondary supply scenarios
- 6.1 Scenarios for UF<sub>6</sub> conversion requirements
- 6.2 UF<sub>6</sub> conversion capacity
- 6.3 Secondary supply scenarios for conversion
- 7.1 Enrichment requirements scenarios to 2030
- 7.2 Nameplate and effective worldwide SWU capacity and projection of worldwide SWU capacity
- 7.3 Secondary supply scenarios for enrichment
- 8.1 World LWR fuel fabrication capacity
- 8.2 World PHWR fuel fabrication capacity
- 8.3 World MOX fuel fabrication capacity

# List of figures

- 1.1. The closed nuclear fuel cycle for light water reactors
- 1.2. IEA “New Policies” energy production forecasts
- 1.3. World primary energy demand in the IEA reference scenario
- 1.4. Energy related CO<sub>2</sub> emissions in the IEA reference scenario
- 1.5. World nuclear electricity production
- 1.6. Nuclear share in world electricity production
- 1.7. Nuclear share of electricity by country
- 2.1 Age structure of operating reactors
- 2.2. Upper scenario changes to reactor numbers to 2030
- 2.3 Nuclear generating capacity to 2030
- 2.4 Nuclear generating capacity by region to 2030, upper case
- 2.5 Comparison of 2011 and 2009 generating capacity scenarios
- 3.1 Average world load factors
- 3.2 Percentage variation in uranium and enrichment with tails assay
- 5.1 Uranium requirements scenarios to 2030
- 5.2 First core and reload uranium requirements
- 5.3 Comparison of uranium requirements scenarios with 2009 Market Report
- 5.4 Comparison of uranium requirements cases with 2009 Market Report, recast with TA=0.22%
- 5.5 Comparison of uranium requirements cases with tails assays at 0.22% versus 0.25%/0.15%
- 5.6 Western world uranium production and reactor requirements
- 5.7 Uranium production in the former Soviet Union and Eastern Europe
- 5.8 Scenarios for prospective world uranium production
- 5.9 Reference scenario prospective production
- 5.10 Secondary supply scenarios in comparison
- 5.11 Reference case supply
- 5.12 Upper case supply
- 5.13 Lower case supply
- 6.1 UF<sub>6</sub> conversion requirements scenarios
- 6.2 UF<sub>6</sub> conversion secondary supply scenarios in comparison

- 6.3 Reference case world UF<sub>6</sub> supply and demand
- 7.1 LEU production from 1 million SWU capacity with varied tails and product assays
- 7.2 Enrichment requirements by scenario
- 7.3 Comparison of enrichment requirements with 2009 report
- 7.4 Comparison of uranium requirements cases with 2009 Market Report, recast with TA=0.22%
- 7.5 Comparison of uranium requirements cases with tails assays at 0.22% versus 0.25%/0.15%
- 7.6 Secondary supplies of enrichment
- 7.7 World enrichment demand against effective capacity
- 8.1 LWR fabrication demand
- 8.2 First core fabrication demand for the reference scenario

# Drafting Group

## Joint chairs

Alexander Boytsov	ARMZ
Anne Chauvin	EDF

## Chairs of supply sub-groups

Jose Aycart	GE-Htachi
Janet Baldwin	Advance Uranium Asset Management
Penny Buye	Cameco
Lee Clanton	USEC
Rolf Kwasny	Nukem

## WNA secretariat

Stephen Kidd	Deputy Director General
Ian Emsley	Senior Project Manager
David Hess	Public Information Officer
Michiomi Matsuda	Visiting Research Officer

## Contributors

Sheena Ahmad	Ruthanne Neely
Philip Benavides	James Nevling
Mustapha Chiguar	Charles J Paone
Mike Connor	Christian Pichat
Luiz Filipe da Silva	Lisa Punk
Guillaume Dewavrin	Anthony Robert
Sandra Fabing	Tony Schillmoeller
Steve Fensom	Miroslav Sedina
Philippe Goyard	Patrick Signoret
Stephen Harding	Joanne Thornton
Eun Sil Jee	Andrey Tovstenko
Fredrik Leijonhufvud	Wang Zhi
Scott Lumadue	Liam Webb
Julia Nagaeva	Azamat Yegizbayev